


GOAT ANTI-BIM ANTIBODY

SKU: EB06412



250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	Bim-alpha3 Bim-alpha2 Bim-alpha1 bcl2-L-11 bcl-2-related ovarian death agonist bcl-2-like protein 11 bcl-2 interacting protein Bim bcl-2 interacting mediator of cell death BOD BIM BAM BCL2-like 11 (apoptosis facilitator) BCL2L11
Accession ID	NP_619528.1; NP_619529.1; NP_996886.1;
Blocking Peptide	EBP06412
Immunogen	Peptide with sequence C-FNAYYARRLEK, from the C Terminus of the protein sequence according to NP_619528.1; NP_619529.1; NP_996886.1;.
Product Comments	This antibody is expected to recognise at least reported isoforms Bim-alpha1 (BimABCD), Bim-alpha2 (BimACD) and Bim-alpha3 (BimAD).
Peptide Sequence	C-FNAYYARRLEK
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human
Reactive Species	Human
Human Gene ID	10018
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:16000.
Western Blot	Approx 23kDa band observed in lysates of cell line K562 (calculated MW of 18.5kDa according to NP_619528.1). Recommended for use at 0.5-2µg/ml. Primary incubated 1 hour at room temperature.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

