



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-BOC ANTIBODY

SKU: EB08461



Telephone: (650) 697-3600



250kDa 150kDa 100kDa

75kDa


50kDa

37kDa

25kDa

20kDa

15kDa







SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Instructions Aliquot and store at -20°C. Minimize freezing and thawing. Storage

Synonym /

Alias brother of CDO|Boc homolog (mouse)|BOC

Names

Accession NP_150279.1

Blocking

EBP08461 **Peptide**

Peptide with sequence C-TQEVKTSGSSDRLR, from the internal region of the protein sequence according to **Immunogen**

NP 150279.1.

Peptide C-TQEVKTSGSSDRLR Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping Refrigerated Instructions

Predicted

Human, Mouse, Dog, Cow **Species**

Reactive Human **Species**

Human 91653 Gene ID

Mouse 117606

Gene ID

Product https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png Grade

ELISA Detection Antibody detection limit dilution 1:2000.

Limit

Western Approx 110kDa band observed in Human Heart and Ileum lysates (calculated MW of 121kDa according to

Blot NP_150279.1). Recommended concentration: 0.3-1µg/ml.

Application Pep-ELISA, WB Type

GALLERY IMAGES



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa