

GOAT ANTI-BOC ANTIBODY

SKU: EB08461

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage	Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions	
Synonym /	
Alias	brother of CDO Boc homolog (mouse) BOC
Names	
Accession ID	NP_150279.1
Blocking Peptide	EBP08461
Immunogen	Peptide with sequence C-TQEVKTSGSSDRLR, from the internal region of the protein sequence according to NP_150279.1.
Peptide Sequence	C-TQEVKTSGSSDRLR
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Dog, Cow
Reactive Species	Human
Human Gene ID	91653
Mouse Gene ID	117606
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:2000.
Western Blot	Approx 110kDa band observed in Human Heart and Ileum lysates (calculated MW of 121kDa according to NP_150279.1). Recommended concentration: 0.3-1µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa