

GOAT ANTI-BRF2 ANTIBODY

SKU: EB05668



150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	RNA polymerase III transcription initiation factor BRF2 RNA polymerase III transcription initiation factor BRFU transcription factor IIB- related factor, TFIIIB50 TFIIIB50 FLJ11052 BRFU BRF2, subunit of RNA polymerase III transcription initiation factor, BRF1-like BRF2
Accession ID	NP_060780.2
Blocking Peptide	EBP05668
Immunogen	Peptide with sequence C-QAARQAATSVNPP, from the C Terminus of the protein sequence according to NP_060780.2.
Peptide Sequence	C-QAARQAATSVNPP
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human
Reactive Species	Human
Human Gene ID	55290
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA	
Detection Limit	Antibody detection limit dilution 1:16000.
Western Blot	Approx 50kDa band observed in HeLa lysates (predicted MW of 48kDa according to NP_060780). Recommended for use at 1-3µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

