

GOAT ANTI-BTLA ANTIBODY

SKU: EB09035

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	BTLA B and T lymphocyte associated BTLA1 CD272 FLJ16065 MGC129743 B and T lymphocyte attenuator
Accession ID	NP_861445.3; NP_001078826.1
Blocking Peptide	EBP09035
Immunogen	Peptide with sequence KEAPTEYASICVRS, from the C Terminus of the protein sequence according to NP_861445.3; NP_001078826.1.
Product Comments	This antibody is expected to recognize both reported isoforms (NP_861445.3; NP_001078826.1).
Peptide Sequence	KEAPTEYASICVRS
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat
Reactive Species	Mouse
Human Gene ID	151888
Mouse Gene ID	208154
Rat Gene ID	407756
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:4000.
Western Blot	Approx. 35kDa band observed in Mouse Spleen lysates (calculated MW of 32.8kDa according to Human NP_861445.3 and of 34.2kDa according to Mouse NP_001032808.2). Recommended concentration: 1-3µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

