


GOAT ANTI-C14ORF169 / NO66 ANTIBODY

SKU: EB07620



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias MAPJD|FLJ21802|chromosome 14 open reading frame 169|NO66|C14orf169
Names

Usage Summary **Flow Cytometry:** Flow cytometric analysis of A431 cells. Recommended concentration: 10ug/ml.

Accession ID NP_078920.2

Blocking Peptide EBP07620

Immunogen Peptide with sequence C-GAQHSDSKDPR, from the internal region of the protein sequence according to NP_078920.2.

Peptide Sequence	C-GAQHSDSKDPR
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Cow
Reactive Species	Human, Mouse
Human Gene ID	79697
Mouse Gene ID	71952
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:64000.
Western Blot	Approx. 70kDa band observed in nuclear lysates of cell lines A431, HepG2 and NIH3T3 (calculated MW of 71.1kDa according to Human NP_078920.2 and 67.6kDa according to Mouse NP_076122.2). Recommended concentration: 0.1-0.3µg/ml. Primary incubation 1 hour at room temperature.
Application Type	Pep-ELISA, WB, FC

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

