

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-CASEIN KINASE 1, DELTA ANTIBODY

SKU: EB07232



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa 75kDa 50kDa 37kDa

25kDa

20kDa

15kDa



Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

CKIdelta|HCKID|CSNK1D|HGNC:2452|casein kinase 1, delta Alias

Names

Immunofluorescence: Expression of the protein seen in the Nucleus of U251 cells. Usage

Summary Recommended concentration: 10µg/ml.

Accession

NP_001884.2; NP_620693.1

Blocking

ID

EBP07232 **Peptide**

Peptide with sequence C-DREERLRHSRNPATR, from the internal region of the protein sequence according to **Immunogen**

NP_001884.2; NP_620693.1.

Product

This antibody is expected to recognise both reported isoforms (NP_001884.2 and NP_620693.1) **Comments**

Peptide

C-DREERLRHSRNPATR Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human, Mouse, Rat, Dog **Species**

Reactive

Human, Mouse Species

Human

1453 Gene ID

Mouse 104318 Gene ID

Rat Gene ID 64462

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png Grade

ELISA

Detection Antibody detection limit dilution 1:32000.

Limit

Approx 48kDa band observed in Mouse Brain lysates and in preliminary testing of U251 cell lysates (calculated

Western MW of 47.3kDa according to Mouse NP 620690.1). Recommended concentration: 0.1-0.3μg/ml. Primary **Blot**

incubation 1 hour at room temperature.

Application

Pep-ELISA, WB, IF **Type**







GALLERY IMAGES

250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

