
Telephone: (650) 697-3600



Email: customerservice@vectorlabs.com

GOAT ANTI-CATALASE / CAT ANTIBODY



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

100 μg **Unit Size**

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.





Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

Synonym /

Alias MGC138424|MGC138422|HGNC:1516|catalase|CAT

Names

Accession NP 001743.1

Blocking

Peptide EBP07282

Immunogen
Peptide with sequence C-DKYNAEKPKNAIHT, from the internal region of the protein sequence according to

NP_001743.1.

Peptide

C-DKYNAEKPKNAIHT

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Instructions Refrigerated

Predicted

Species Human, Mouse, Dog

Reactive

Species Human, Mouse

Human

Gene ID 847

--

Mouse 12359

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

IHC Results Paraffin embedded Human Kidney. Recommended concentration: 4-6µg/ml.

ELISA

Detection Antibody detection limit dilution 1:128000.

Limit

Western
Blot

Approx 60kDa band observed in Human and Mouse Kidney and Liver lysates (calculated MW of 59.8kDa according to Human NP_001743.1 and Mouse NP_033934.2). Recommended concentration: 0.003-0.01μg/ml.

Primary incubation 1 hour at room temperature.


Application

Type Pep-ELISA, WB, IHC

SELECTED REFERENCES

[{"pmid": 27890722, "intro": "This antibody (previous batch) has been successfully used in Western blot on Mouse:", "title": "Diabetes-induced hepatic oxidative stress: a new pathogenic role for glycated albumin.", "author": "Patche J, Girard D, Catan A, Boyer F, Dobi A, Planesse C, Diotel N, Guerin-Dubourg A, Baret P, Bravo SB, Paradela-Dobarro B, Álvarez E, Essop MF, Meilhac O, Bourdon E, Rondeau P.", "journal": "Free Radic Biol Med. 2017 Jan;102:133-148."}, {"pmid": 28543688, "intro": "This antibody (previous batch) has been successfully used in Western blot on Mouse:", "title": "Glycated human albumin alters mitochondrial respiration in preadipocyte 3T3-L1 cells.", "author": "Baret P, Le Sage F, Planesse C, Meilhac O, Devin A, Bourdon E, Rondeau P", "journal": "Biofactors. 2017 Jul







8;43(4):577-592."}]

GALLERY IMAGES

