





## **GOAT ANTI-CDCP1 (ISOFORM 1: C TERM) ANTIBODY**

**SKU:** EB05267







250kDa 150kDa 100kDa

75kDa 50kDa 37kDa

25kDa 20kDa

15kDa



Telephone: (650) 697-3600

## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

transmembrane and associated with src kinases|CUB domain-containing protein **Alias** 1|TRASK|SIMA135|CD318|HGNC:24357|CUB domain containing protein 1|CDCP1 Names

**Accession** 

NP\_073753.3 ID

**Blocking** 

EBP05267 **Peptide** 

Peptide with sequence C-PLLNTQEPMEPAE, from the C Terminus of the protein sequence according to **Immunogen** 

NP 073753.3.

**Product Comments** 

This antibody is expected to recognize isoform 1 (NP 073753.3) only.

**Peptide** 

Sequence

C-PLLNTQEPMEPAE

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

**Predicted** 

Human

**Species** Reactive

Human

**Species** 

Human

64866 Gene ID

**Product** 

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite medium.png Grade

IHC Results Paraffin embedded Human Prostate. Recommended concentration: 5µg/ml.

**ELISA** 

**Detection** Antibody detection limit dilution 1:32000.

Limit

Approx 90kDa band observed in Human Colon lysates (calculated MW of 92.3kDa according to NP 073753.3).

Western Recommended concentration: 1-3µg/ml. An additional band of unknown identity was also consistently

**Blot** observed at 200kDa. This band was successfully blocked by incubation with the immunising peptide. Primary

incubation was 1 hour.

**Application** 

Pep-ELISA, WB, IHC **Type** 







## **GALLERY IMAGES**

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

