

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-CDK10 / PISSLRE ANTIBODY

SKU: EB09252



Telephone: (650) 697-3600




250kDa 150kDa 100kDa 75kDa

50kDa 37kDa

25kDa 20kDa

15kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

CDK10|cyclin-dependent kinase 10|PISSLRE|CDC2-related protein kinase|cell division protein kinase 10|cyclin-

Alias dependent kinase (CDC2-like) 10|cyclin-dependent kinase related protein|serine/threonine protein kinase

PISSLRE Names

Accession

NP_443714.3

Blocking

EBP09252 **Peptide**

Peptide with sequence AEPDLECEQIRLK, from the N Terminus of the protein sequence according to **Immunogen**

NP 443714.3.

Product Comments

This antibody is expected to recognize reported isoform a (NP 443714.3).

Peptide

Sequence

AEPDLECEQIRLK

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human **Species**

Reactive

Human

Species Human

8558

Gene ID

Product

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite medium.png

ELISA

Detection

Antibody detection limit dilution 1:64000.

Limit

Western Approx 38kDa band observed in Human Kidney lysates (calculated MW of 41.0 kDa according to NP_443714.3.

Recommended concentration: 2-3µg/ml. Blot

Application

Type

Pep-ELISA, WB

GALLERY IMAGES

Telephone: (650) 697-3600







250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa

15kDa