

## GOAT ANTI-CDK10 / PISSLRE ANTIBODY

**SKU:** EB09252

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

---

## SPECIFICATIONS

**Formulation** Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 µg

**Storage Instructions** Aliquot and store at -20°C. Minimize freezing and thawing.

**Synonym /** CDK10|cyclin-dependent kinase 10|PISSLRE|CDC2-related protein kinase|cell division protein kinase 10|cyclin-

**Alias** dependent kinase (CDC2-like) 10|cyclin-dependent kinase related protein|serine/threonine protein kinase

**Names** PISSLRE

**Accession ID** NP\_443714.3

**Blocking Peptide** EBP09252

**Immunogen** Peptide with sequence AEPDLECEQIRLK , from the N Terminus of the protein sequence according to NP\_443714.3.

**Product Comments** This antibody is expected to recognize reported isoform a (NP\_443714.3).

**Peptide Sequence** AEPDLECEQIRLK

**Purification Method** Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

using the immunizing peptide.

**Shipping Instructions** Refrigerated

**Predicted Species** Human

**Reactive Species** Human

**Human Gene ID** 8558

**Product Grade** [https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\\_medium.png](https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png)

**ELISA**

**Detection Limit** Antibody detection limit dilution 1:64000.

**Western Blot** Approx 38kDa band observed in Human Kidney lysates (calculated MW of 41.0 kDa according to NP\_443714.3). Recommended concentration: 2-3µg/ml.

**Application Type** Pep-ELISA, WB

## DOCUMENTS

- [Data Sheet](#)

## GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa