



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-CDK9 ANTIBODY

SKU: EB13048



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa



Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

tat-associated kinase complex catalytic subunit|serine/threonine protein kinase PITALRE|cell division protein kinase 9;|cell division cycle 2-like protein kinase 4|CDC2-related kinase;|TAK|PITALRE|CTK1|CDC2L4;|C-2k|

Alias Names

cyclin-dependent kinase 9|CDK9

Accession

ID

NP_001252.1

Blocking

EBP13048 **Peptide**

Immunogen

Peptide with sequence C-KGSQITQQSTNQSRN, from the C Terminus of the protein sequence according to

NP 001252.1.

Peptide

Sequence

C-KGSQITQQSTNQSRN

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Mouse

107951

Predicted

Species

Human, Mouse, Rat, Dog, Pig, Cow

Reactive

Species

Human

1025 Gene ID

Mouse

Gene ID

Rat Gene ID 362110

Product

Grade ELISA

Detection Limit

Antibody detection limit dilution 1:8000.

Western Approx 40-45kDa band observed in nuclear cell lysates of NIH3T3 (calculated MW of 42.8kDa according to

Blot Mouse NP_570930.1). Recommended concentration: 0.3-1μg/ml.

Application

Type

Pep-ELISA, WB



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GALLERY IMAGES

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa