

## GOAT ANTI-CDX2 ANTIBODY

**SKU:** EB07190

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

---

## SPECIFICATIONS

**Formulation** Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 µg

**Storage** Aliquot and store at -20°C. Minimize freezing and thawing.  
**Instructions**

**Synonym /**

**Alias** CDX3|CDX-3|HGNC:1806|caudal type homeo box transcription factor 2|CDX2

**Names**

**Accession ID** NP\_001256.1

**Blocking Peptide** EBP07190

**Immunogen** Peptide with sequence EQLSPGGQRRNLCE, from the internal region of the protein sequence according to NP\_001256.1.

**Product Comments** No cross-reactivity expected with CDX1 and 4

**Peptide Sequence** EQLSPGGQRRNLCE

**Purification Method** Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

**Shipping Instructions** Refrigerated

**Predicted Species** Human, Mouse, Rat, Dog

**Reactive Species** Human

**Human Gene ID** 1045

**Mouse Gene ID** 12591

**Rat Gene ID** 66019

**Product Grade** [https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\\_medium.png](https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png)

**IHC Results** Paraffin embedded Human Colon. Recommended concentration: 5µg/ml.

**ELISA**

**Detection Limit** Antibody detection limit dilution 1:4000.

**Western Blot** Approx 35kDa band observed in Human Colon lysates (calculated MW of 33.5kDa according to NP\_001256.1). Recommended concentration: 1-3µg/ml. Primary incubation was 1 hour.

**Application Type** Pep-ELISA, WB, IHC

## DOCUMENTS

- [Data Sheet](#)

## GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

