



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-CDX2 ANTIBODY

SKU: EB07190



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa



Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Instructions Aliquot and store at -20°C. Minimize freezing and thawing. Storage

Synonym /

Alias CDX3|CDX-3|HGNC:1806|caudal type homeo box transcription factor 2|CDX2

Names

Accession NP_001256.1

ID **Blocking**

EBP07190 **Peptide**

Peptide with sequence EQLSPGGQRRNLCE, from the internal region of the protein sequence according to **Immunogen**

NP 001256.1.

Product No cross-reactivity expected with CDX1 and 4 **Comments**

Peptide EQLSPGGQRRNLCE Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping Refrigerated Instructions

Predicted Human, Mouse, Rat, Dog **Species**

Reactive Human **Species**

Human 1045

Gene ID

Mouse 12591 Gene ID **Rat Gene ID** 66019

Product https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png Grade

IHC Results Paraffin embedded Human Colon. Recommended concentration: 5µg/ml.

ELISA

Detection Antibody detection limit dilution 1:4000.

Limit

Western Approx 35kDa band observed in Human Colon lysates (calculated MW of 33.5kDa according to NP 001256.1).

Blot Recommended concentration: 1-3µg/ml. Primary incubation was 1 hour.

Application

Pep-ELISA, WB, IHC **Type**





Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GALLERY IMAGES



Telephone: (650) 697-3600



250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

