



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-CETP ANTIBODY

SKU: EB09943



Telephone: (650) 697-3600



OEOLD O	Α	В
250kDa 150kDa		
100kDa 75kDa		
50kDa	_	
37kDa		
25kDa		
20kDa		
15kDa		





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias

CETP|lipid transfer protein|HDLCQ10|cholesteryl ester transfer protein, plasma

Names

Accession

NP_000069.2; NP_001273014.1

Blocking

Peptide

EBP09943

Peptide with sequence GNAHACSKGTSHEA, from the N Terminus of the protein sequence according to **Immunogen**

NP_000069.2; NP_001273014.1.

Product Comments

This antibody is expected to recognise isoform s1 and 2.

Peptide

Sequence

GNAHACSKGTSHEA

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted Human

Species

Reactive

Human **Species**

1071

Human

Gene ID

Product Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite medium.png

ELISA

Detection

Antibody detection limit dilution 1:64000.

Limit

Approx 48kDa band observed in lysates of cell line HepG2 (calculated MW of 47.9kDa according to Western NP_001273014.1. Recommended concentration: 0.3-1µg/ml. Primary incubation 1 hour at room

Blot temperature. Negative Control:CaCo-2 cell lysate.

Application

Pep-ELISA, WB **Type**

GALLERY IMAGES





Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa 75kDa	Α	В
50kDa	_	
37kDa		
25kDa		
20kDa		
15kDa		