

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-CFD / ADIPSIN ANTIBODY

SKU: EB12705





Telephone: (650) 697-3600

250kDa 150kDa 100kDa

e erest

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias Names CFD|complement factor D (adipsin)|ADIPSIN|ADN|DF|PFD|C3 convertase activator|D component of complement

(adipsin)|complement factor D|complement factor D preproprotein|properdin factor D

Accession

ID

NP_001919.2

Blocking

Peptide

EBP12705

Immunogen

Peptide with sequence C-NRRTHHDGAITER, from the internal region of the protein sequence according to

NP 001919.2.

Peptide

Sequence

C-NRRTHHDGAITER

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Instructions

Refrigerated

Predicted

Species

Human

Reactive

Human **Species**

Human

1675

Gene ID

Product

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection

Antibody detection limit dilution 1:32000.

Limit

Western

Approx 26kDa band observed in Human Adipose lysates (calculated MW of 27.0kDa according to

Blot NP_001919.2). Recommended concentration: 1-3µg/ml.

Application

Type

Pep-ELISA, WB

GALLERY IMAGES





Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa