



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-CHUK ANTIBODY

SKU: EB11382



Telephone: (650) 697-3600



250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

conserved helix-loop-helix ubiquitous kinase| I-kappa-B kinase 1| I-kappa-B kinase-alpha| IkB kinase alpha subunit| IKBKA| IKK1| IKKA| IKK-a kinase| IKK-alpha| inhibitor of nuclear factor kappa-B kinase subunit alpha| NFKBIKA| Nuclear factor NFkappaB inhibitor kinase alpha| TCF16| TCF-16| transcription factor 16|CHUK

Names **Accession**

Alias

NP_001269.3 ID

Blocking

EBP11382 **Peptide**

Immunogen

Peptide with sequence EHDHSLSCVVTPQD, from the internal region (near C Terminus) of the protein sequence

according to NP_001269.3.

Peptide

EHDHSLSCVVTPQD Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Species

Human

Reactive

Human **Species**

Human

1147 Gene ID

Product

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Antibody detection limit dilution 1:128000. **Detection**

Limit

Western Approx 80kDa band observed in nuclear lysates of cell line HeLa (calculated MW of 84.6kDa according to

Blot NP_001269.3). Recommended concentration: 1-3µg/ml.

Application

Pep-ELISA, WB **Type**

GALLERY IMAGES



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa