




Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GOAT ANTI-CILP ANTIBODY**

**SKU:** EB07350







250kDa 150kDa 100kDa 75kDa

50kDa 37kDa

25kDa 20kDa

15kDa





Telephone: (650) 697-3600

## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

cartilage intermediate layer protein|HsT18872|HGNC:1980|cartilage intermediate layer protein, nucleotide Alias

pyrophosphohydrolase|CILP Names

**Accession** 

NP\_003604.2 ID

**Blocking** 

EBP07350 **Peptide** 

Peptide with sequence C-NYRRTDHEDPRVK, from the internal region of the protein sequence according to **Immunogen** 

NP 003604.2.

**Peptide** 

C-NYRRTDHEDPRVK Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

**Shipping** 

Refrigerated Instructions

**Predicted** 

Human, Mouse, Rat, Dog **Species** 

Reactive

Rat **Species** 

Human

8483 Gene ID

Mouse

214425 **Gene ID** 

**Rat Gene ID** 315761

**Product** 

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_medium.png

**Grade ELISA** 

**Detection** Antibody detection limit dilution 1:128000.

Limit

Western Approx 150kDa band observed in rat spinal cord lysates (calculated MW of 133kDa according to human NP\_003604.2 and of 132kDa according to Rat NP\_001101631.1). Recommended concentration: 0.1-0.3μg/ml. Blot

**Application** 

Pep-ELISA, WB

**Type** 





## **GALLERY IMAGES**

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa