

GOAT ANTI-CIRBP (AA 161-172), BIOTINYLATED ANTIBODY

SKU: EB10236-B

250kDa
150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias Cold-inducible RNA-binding protein|glycine-rich RNA binding protein|cold inducible RNA-binding protein|A18
Names hnRNP|CIRP|cold inducible RNA binding protein|CIRBP

Accession ID NP_001271.1

Blocking Peptide EBP10236-B

Immunogen Peptide with sequence C-RDSYDSYATHNE., from the C Terminus of the protein sequence according to NP_001271.1.

Product Comments This antibody is expected to recognize reported isoform 1 (NP_001271.1) only.

Peptide Sequence C-RDSYDSYATHNE.

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Human, Mouse, Rat, Dog, Cow

Reactive Species Human, Mouse, Rat

Human Gene ID 1153

Mouse Gene ID 12696

Rat Gene ID 81825

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection Limit Antibody detection limit dilution 1:32000.

Western Blot Approx 18kDa band observed in Rat Testis lysates (calculated MW of 18.6kDa according to Rat NP_112409.2).

Application Type See non-biotinylated parental product's datasheet for further QC data. Recommended concentration: 1-3µg/ml.

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa