

# GOAT ANTI-CITED2 (INTERNAL) ANTIBODY

**SKU:** EB07083



## SPECIFICATIONS

<b>Unit Size</b>	100 µg
<b>Synonym / Alias Names</b>	P35SRJ MRG1 HGNC:1987 Cbp/p300-interacting transactivator, with Glu/Asp-rich carboxy-terminal domain, 2 CITED2
<b>Accession ID</b>	NP_006070.2; NP_001161861.2
<b>Blocking Peptide</b>	EBP07083
<b>Immunogen</b>	Peptide with sequence C-PNVIDTDFIDEE, from the internal region of the protein sequence according to NP_006070.2; NP_001161861.2.
<b>Peptide Sequence</b>	C-PNVIDTDFIDEE
<b>Shipping Instructions</b>	Refrigerated
<b>Predicted Species</b>	Human, Mouse, Rat, Dog, Pig, Cow
<b>Human Gene ID</b>	10370
<b>Mouse Gene ID</b>	17684
<b>Rat Gene ID</b>	114490
<b>Product Grade</b>	<a href="https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/aspiring_medium.png">https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/aspiring_medium.png</a>
<b>ELISA Detection Limit</b>	Antibody detection limit dilution 1:4000.
<b>Western Blot</b>	Preliminary experiments in adult human heart, kidney, liver and skin lysates gave no specific signal but low background (at antibody concentration up to 1µg/ml). We would appreciate any feedback from people in the field - have any results been reported with other antibodies/lysates?
<b>Application Type</b>	Pep-ELISA

## DOCUMENTS

- [Data Sheet](#)