

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-CLLD8 / SETDB2 ANTIBODY

SKU: EB05724



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

histone-lysine N-methyltransferase SETDB2|lysine N-methyltransferase 1F|chronic lymphocytic leukemia deletion region 8|KMT1F|DKFZp761J1217|DKFZp586I0123|CLLL8|C13orf4|CLLL8 protein|SET domain, bifurcated

Names 2|CLLD8|SETDB2

Accession

Alias

NP_114121.2; NP_001153780.1

Blocking

Peptide

EBP05724

Peptide with sequence GEKNGDAKTFWME-C, from the N Terminus of the protein sequence according to **Immunogen**

NP_114121.2; NP_001153780.1.

Product Comments

This antibody is expected to recognize both reported isoforms (NP 114121.2; NP 001153780.1).

Peptide

Sequence

GEKNGDAKTFWME-C

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human, Mouse, Rat, Dog, Pig, Cow

Species Reactive

Human **Species**

Human

83852

Gene ID

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite medium.png Grade

ELISA

Detection Antibody detection limit dilution 1:1000.

Limit

Western Approx 85kDa band observed in nuclear lysates of cell line HeLa (calculated MW of 81.9kDa according to

NP_114121.2). Recommended concentration: 1-3µg/ml. Primary incubation was 1 hour. Blot

Application

Pep-ELISA, WB **Type**

GALLERY IMAGES



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa