

GOAT ANTI-CLLD8 / SETDB2 ANTIBODY

SKU: EB05724



SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	histone-lysine N-methyltransferase SETDB2 lysine N-methyltransferase 1F chronic lymphocytic leukemia deletion region 8 KMT1F DKFZp761J1217 DKFZp586I0123 CLLL8 C13orf4 CLLL8 protein SET domain, bifurcated 2 CLLD8 SETDB2
Accession ID	NP_114121.2; NP_001153780.1
Blocking Peptide	EBP05724
Immunogen	Peptide with sequence GEKNGDAKTFWME-C, from the N Terminus of the protein sequence according to NP_114121.2; NP_001153780.1.
Product Comments	This antibody is expected to recognize both reported isoforms (NP_114121.2; NP_001153780.1).
Peptide Sequence	GEKNGDAKTFWME-C
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog, Pig, Cow
Reactive Species	Human
Human Gene ID	83852
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:1000.
Western Blot	Approx 85kDa band observed in nuclear lysates of cell line HeLa (calculated MW of 81.9kDa according to NP_114121.2). Recommended concentration: 1-3µg/ml. Primary incubation was 1 hour.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

