

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-CLN2 / TPP1 ANTIBODY

SKU: EB09574



Telephone: (650) 697-3600



250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

TPP1|tripeptidyl peptidase I|CLN2|GIG1|LPIC|MGC21297|ceroid-lipofuscinosis, neuronal 2, late infantile (Jansky-

Alias Bielschowsky disease)|growth-inhibiting protein 1|lysosomal pepstatin insensitive protease|tripeptidyl

aminopeptidase|tripeptidyl-peptidase I Names

Accession

NP_000382.3

Blocking

EBP09574 **Peptide**

Immunogen

Peptide with sequence C-TPSVIRKRYNLTSQD, from the internal region of the protein sequence according to

NP 000382.3.

Peptide

C-TPSVIRKRYNLTSQD

Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human, Dog, Cow **Species**

Reactive

Human **Species**

Human

1200 Gene ID

Mouse

Gene ID

12751

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png Grade

ELISA

Detection Antibody detection limit dilution 1:4000.

Limit

Western Approx 65kDa band observed in Human Placenta lysates (calculated MW of 61.2kDa according to

Blot NP_000382.3). Recommended concentration: 0.3-1µg/ml.

Application

Pep-ELISA, WB Type

GALLERY IMAGES



Telephone: (650) 697-3600



250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa

15kDa