


# GOAT ANTI-CLUSTERIN / APOJ (AA44-58) ANTIBODY

**SKU:** EB11646



250kDa  
150kDa  
100kDa  
75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

## SPECIFICATIONS

<b>Formulation</b>	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
<b>Unit Size</b>	100 µg
<b>Storage</b>	
<b>Instructions</b>	Aliquot and store at -20°C. Minimize freezing and thawing.
<b>Synonym / Alias</b>	aging-associated protein 4 APOJ apo-J apolipoprotein J CLI CLU clusterin com complement cytolysis inhibitor KUB1 MGC24903 NA1/NA2 OTTHUMP00000128311 OTTHUMP00000225247 OTTHUMP00000225248 OTTHUMP00000225249 SGP2 SGP-2 SP-40 TRPM2 TRPM-2
<b>Names</b>	
<b>Accession ID</b>	NP_976084.1
<b>Blocking Peptide</b>	EBP11646
<b>Immunogen</b>	Peptide with sequence C-KEIQNAVNGVKQIKT, from the internal region of the protein sequence according to NP_976084.1.
<b>Peptide Sequence</b>	C-KEIQNAVNGVKQIKT
<b>Purification Method</b>	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
<b>Shipping Instructions</b>	Refrigerated
<b>Predicted Species</b>	Human
<b>Reactive Species</b>	Human
<b>Human Gene ID</b>	1191
<b>Product Grade</b>	<a href="https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png">https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png</a>
<b>ELISA Detection Limit</b>	Antibody detection limit dilution 1:64000.
<b>Western Blot</b>	Approx 37kDa band observed in human Prostate lysates (calculated MW of 52.5 according to NP_976084.1). The observed molecular weight corresponds to earlier findings in literature with different antibodies (PMID: 9713325 and PMID: 11560857). Recommended concentration: 0.03-0.1µg/ml.
<b>Application Type</b>	Pep-ELISA, WB

## DOCUMENTS

- [Data Sheet](#)

## GALLERY IMAGES

