

Telephone: (650) 697-3600





## **GOAT ANTI-CMG1 / CCDC2 / IFT74 ANTIBODY**





## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 μg

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym / CMG1|CMG-1|CMG 1|Coiled-coil domain containing 2|Coiled-coil domain-containing protein 2|Capillary

morphogenesis gene 1 | Capillary morphogenesis protein 1 | IFT74 | intraflagellar transport 74 Alias

Names homolog|ntraflagellar transport protein 74 homolog

<strong>Immunofluorescence:</strong> Strong expression of the protein seen in the cytoplasm and Golgi Usage apparatus of U251 cells. Recommended concentration: 10µg/ml. <strong>Flow Cytometry:</strong> Flow **Summary** 

cytometric analysis of U251 cells. Recommended concentration: 10ug/ml.

**Accession** 

ID


NP\_001092692.1; NP\_001092693.1; NP\_079379.2; AAK77221.1

**Blocking** 

EBP08550 **Peptide** 











Peptide with sequence CKTIVDALHSTSGN, from the C or N Terminus of the protein sequence according to **Immunogen** NP\_001092692.1; NP\_001092693.1; NP\_079379.2; AAK77221.1.

Peptide

CKTIVDALHSTSGN

**Sequence** 

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method

using the immunizing peptide.

Shipping Instructions

Refrigerated

**Predicted** 

Human

**Species** Reactive

**Species** 

Human

Human

80173

Gene ID

**Product** 

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_medium.png

Grade **ELISA** 

**Detection** Antibody detection limit dilution 1:32000.

Limit

Application

Pep-ELISA, IF, FC **Type** 

## **GALLERY IMAGES**

