

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-COMPLEMENT COMPONENT 7 ANTIBODY

SKU: EB12210



Email: customerservice@vectorlabs.com

Telephone: <u>(650)</u> 697-3600

250kDa 150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa



Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym / **Alias**

C7|complement component 7|complement component C7

Names

ID

Accession

NP_000578.2

Blocking

Peptide

EBP12210

Peptide with sequence C-NELTGQFRNRVINTK, from the internal region of the protein sequence according to **Immunogen**

NP 000578.2.

Peptide

Sequence

C-NELTGQFRNRVINTK

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Species

Human

Reactive

Human **Species**

Human

730 Gene ID

Product Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

IHC Results Paraffin embedded Human Placenta and Adrenal Gland. Recommended concentration: 5µg/ml.

ELISA

Detection Antibody detection limit dilution 1:128000.

Limit

Blot

Approx 95kDa band observed in Human Liver lysates (calculated MW of 93.5kDa according to NP 000578.2). Western

Recommended concentration: 0.1-0.3µg/ml. Primary incubation was 1 hour.

Application

Pep-ELISA, WB, IHC **Type**

GALLERY IMAGES



Telephone: (650) 697-3600



250kDa 150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa



