
Telephone: (650) 697-3600



Email: customerservice@vectorlabs.com

GOAT ANTI-CSF1R (AA 700-710) ANTIBODY



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing. Instructions

Svnonvm / CSF1R|McDonough feline sarcoma viral (v-fms) oncogene homolog|macrophage colony stimulating factor I

Alias receptor|FMS proto-oncogene|FMS|FIM2|CSFR|colony stimulating factor 1 receptor|C-FMS|CD115

antigen|CD115 Names

Accession

NP 005202.2

Blocking

ID

EBP10257

Peptide

Peptide with sequence C-KNIHLEKKYVR, from the internal region of the protein sequence according to **Immunogen**

NP 005202.2.

Peptide

C-KNIHLEKKYVR

Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Species

Human, Mouse, Rat, Dog, Cow

Reactive

Human **Species**

Human

1436 Gene ID

Mouse

12978 Gene ID

Rat Gene ID 307403

Product https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

Grade

ELISA

Detection Antibody detection limit dilution 1:32000.

Limit

Blot

Western

In transfected HEK293 transiently expressing full-length Human CSF1R (myc and DYKDDDDK tagged), a band of approx. 200kDa was observed. No bands were observed in mock-transfected HEK293 and the same band

was observed using anti-myc tag antibody. Recommended concentration, 0.1-0.5µg/ml.

Application

Pep-ELISA, WB-Trf **Type**

GALLERY IMAGES





Telephone: (650) 697-3600



