



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GOAT ANTI-CSK ANTIBODY**

**SKU:** EB05118



Telephone: (650) 697-3600



250kDa 150kDa 100kDa

75kDa 50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

**Alias** MGC117393|c-src tyrosine kinase|CSK

Names

ID

**Accession** 

NP\_004374.1

**Blocking** 

EBP05118 **Peptide** 

Peptide with sequence C-EQLEHIKTHELHL, from the C Terminus of the protein sequence according to **Immunogen** 

NP 004374.1.

**Product Comments** 

Reported variants represent identical protein: NP 004374.1; NP 001120662.1.

**Peptide** 

Sequence

C-EQLEHIKTHELHL

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

**Predicted** 

Human, Mouse, Rat, Dog, Cow **Species** 

Reactive

Human **Species** 

Human

1445

Gene ID

Mouse 12988

Gene ID

**Rat Gene ID** 315707 **Product** 

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_medium.png

Grade **ELISA** 

**Detection** Antibody detection limit dilution 1:32000.

Limit

Western Approx 48kDa band observed in lysates of Jurkat, K562 and MOLT4 (calculated MW of 50.7kDa according to

Blot NP\_004374.1). Recommended concentration: 0.1-0.3µg/ml. Primary incubation was 1 hour.

**Application** 

Pep-ELISA, WB **Type** 



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GALLERY IMAGES**

250kDa 150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa