

GOAT ANTI-CSK ANTIBODY

SKU: EB05118

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions

Synonym /

Alias MGC117393|c-src tyrosine kinase|CSK

Names

Accession ID NP_004374.1

Blocking Peptide EBP05118

Immunogen Peptide with sequence C-EQLEHIKTHELHL, from the C Terminus of the protein sequence according to NP_004374.1.

Product Comments Reported variants represent identical protein: NP_004374.1; NP_001120662.1.

Peptide Sequence C-EQLEHIKTHELHL

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Human, Mouse, Rat, Dog, Cow

Reactive Species Human

Human Gene ID 1445

Mouse Gene ID 12988

Rat Gene ID 315707

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection Limit Antibody detection limit dilution 1:32000.

Western Blot

Approx 48kDa band observed in lysates of Jurkat, K562 and MOLT4 (calculated MW of 50.7kDa according to NP_004374.1). Recommended concentration: 0.1-0.3µg/ml. Primary incubation was 1 hour.

Application Type Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa