

GOAT ANTI-CSK, BIOTINYLATED ANTIBODY

SKU: EB05118-B

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions

Synonym /

Alias protein-tyrosine kinase CYL|C-Src kinase|c-src tyrosine kinase|CSK

Names

Accession ID NP_004374.1

Blocking Peptide EBP05118-B

Immunogen Peptide with sequence CEQLEHIKTHELHL., from the C Terminus of the protein sequence according to NP_004374.1.

Product Comments Reported variants represent identical protein: NP_004374.1, NP_001120662.1

Peptide Sequence CEQLEHIKTHELHL.

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Human, Mouse, Rat, Dog, Cow

Reactive Species Human, Mouse, Rat

Human Gene ID 1445

Mouse Gene ID 12988

Rat Gene ID 315707

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection Limit Antibody detection limit dilution 1:128000.

Western Blot Approx 50kDa band observed in lysates of cell line Jurkat (calculated MW of 50.7kDa according to NP_004374.1). See non-biotinylated parental product's datasheet for further QC data. Recommended concentration: 0.5-1µg/ml.

Application Type Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa