

GOAT ANTI-CX3CL1 / FRACTALKINE (AA214-226) ANTIBODY

SKU: EB12513



SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	small inducible cytokine subfamily D (Cys-X3-Cys), member 1 (fract CX3C membrane-anchored chemokine C-X3-C motif chemokine 1 neurotactin fractalkine SCYD1 NTT NTN CXC3C CXC3 C3Xkine ABCD-3 chemokine (C-X3-C motif) ligand 1 CX3CL1
Accession ID	NP_002987.1
Blocking Peptide	EBP12513
Immunogen	Peptide with sequence C-KTSEAPSTQDPST, from the internal region of the protein sequence according to NP_002987.1.
Peptide Sequence	C-KTSEAPSTQDPST
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human
Reactive Species	Human
Human Gene ID	6376
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:128000.
Western Blot	Approx 45kDa band observed in Human Colorectal cancer lysates (calculated MW of 42.2kDa according to NP_002987.1). Recommended concentration: 0.3-1µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

