

GOAT ANTI-CXCR1 (AA26-38) ANTIBODY

SKU: EB12525



SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	interleukin 8 re high affinity interleukin-8 receptor A IL-8R A IL-8 receptor type 1 CXCR-1 CXC-R1 C-X-C chemokine receptor type 1 IL8RBA IL8RA IL8R1 CMKAR1 CKR-1 CDw128a CD181 CD128 C-C-CKR-1 C-C chemokine (C-X-C motif) receptor 1 CXCR1
Accession ID	NP_000625.1
Blocking Peptide	EBP12525
Immunogen	Peptide with sequence DYSPCMLETETLN, from the internal region (near N terminus) of the protein sequence according to NP_000625.1.
Peptide Sequence	DYSPCMLETETLN
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human
Reactive Species	Human
Human Gene ID	3577
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:128000.
Western Blot	Approx 39kDa band observed in Human Breast cancer lysates (calculated MW of 39.8kDa according to NP_000625.1). Recommended concentration: 0.3-1µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

