

GOAT ANTI-CXCR7 / RDC1 ANTIBODY

SKU: EB12777

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	ACKR3 atypical chemokine receptor 3 CMKOR1 CXC-R7 CXCR-7 CXCR7 GPR159 RDC-1 RDC1 C-X-C chemokine receptor type 7 G protein-coupled receptor G-protein coupled receptor 159 G-protein coupled receptor RDC1 homolog chemokine (C-X-C motif) receptor
Accession ID	NP_064707.1
Blocking Peptide	EBP12777
Immunogen	Peptide with sequence C-TEYSALEQSTK, from the C Terminus of the protein sequence according to NP_064707.1.
Peptide Sequence	C-TEYSALEQSTK
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human
Reactive Species	Human
Human Gene ID	57007
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA	
Detection Limit	Antibody detection limit dilution 1:64000.
Western Blot	Approx 42kDa band observed in Human Breast cancer lysates (calculated MW of 41.5kDa according to NP_064707.1). Recommended concentration: 1-3µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

