


GOAT ANTI-CYCLIN D-TYPE BINDING-PROTEIN 1 (AA322-333) ANTIBODY

SKU: EB11371



SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	cyclin D-type binding-protein 1 cyclin-D1-binding protein 1 DIP1 GCIP grap2 and cyclin-D-interacting protein HHM human homolog of Maid OTTHUMP00000161296 CCNDBP1
Accession ID	NP_036274.3
Blocking Peptide	EBP11371
Immunogen	Peptide with sequence C-TKASHVTPQPED, from the internal region (near C Terminus) of the protein sequence according to NP_036274.3.
Peptide Sequence	C-TKASHVTPQPED
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Dog, Pig, Cow
Reactive Species	Human
Human Gene ID	23582
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:4000.
Western Blot	Approx 40kDa band observed in Human Placenta lysates (calculated MW of 40.3kDa according to NP_036274.3). Recommended concentration: 0.3-1µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

