



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-CYPOR ANTIBODY

SKU: EB10306



Telephone: (650) 697-3600



250kDa 150kDa

100kDa

75kDa


50kDa

37kDa

25kDa

20kDa

15kDa





SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias Names POR|P450R|P450 (cytochrome) oxidoreductase|NADPH-dependent cytochrome P450 reductase|FLJ26468|DKFZp686G04235|cytochrome P450 reductase|CYPOR|CPR

Accession

ID

NP 000932.3

Blocking

EBP10306 **Peptide**

Peptide with sequence C-TNPPRTNVLYE, from the internal region of the protein sequence according to **Immunogen**

NP 000932.3.

Peptide

Sequence

C-TNPPRTNVLYE

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Species

Human, Mouse, Rat, Dog, Cow, Pig

Reactive

Species

Human, Mouse, Rat

5447

Human

Gene ID

Mouse

18984 Gene ID

Rat Gene ID 29441

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png **Grade**

IHC Results Paraffin embedded Human Adrenal Gland. Recommended concentration: 3.75µg/ml.

ELISA

Detection Antibody detection limit dilution 1:16000.

Limit

Western Approx 90kDa band observed in Human, Mouse and Rat Liver lysates (calculated MW of 77.0kDa according to

Blot NP_000932.3). Recommended concentration: 0.1-0.3µg/ml. Primary incubation was 1 hour.

Application

Pep-ELISA, WB, IHC **Type**



Telephone: (650) 697-3600



GALLERY IMAGES

250kDa 150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

