

GOAT ANTI-CYPOR ANTIBODY

SKU: EB10306

250kDa
150kDa

100kDa
75kDa

50kDa
37kDa

25kDa
20kDa
15kDa

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias POR|P450R|P450 (cytochrome) oxidoreductase|NADPH-dependent cytochrome P450 reductase|FLJ26468|DKFZp686G04235|cytochrome P450 reductase|CYPOR|CPR

Names

Accession ID NP_000932.3

Blocking Peptide EBP10306

Immunogen Peptide with sequence C-TNPPRTNVLYE, from the internal region of the protein sequence according to NP_000932.3.

Peptide Sequence C-TNPPRTNVLYE

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Human, Mouse, Rat, Dog, Cow, Pig

Reactive Species Human, Mouse, Rat

Human Gene ID 5447

Mouse Gene ID 18984

Rat Gene ID 29441

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

IHC Results Paraffin embedded Human Adrenal Gland. Recommended concentration: 3.75µg/ml.

ELISA

Detection Limit Antibody detection limit dilution 1:16000.

Western Blot

Approx 90kDa band observed in Human, Mouse and Rat Liver lysates (calculated MW of 77.0kDa according to NP_000932.3). Recommended concentration: 0.1-0.3µg/ml. Primary incubation was 1 hour.

Application Type Pep-ELISA, WB, IHC

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

