

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-CYSTATIN 3 (MOUSE) ANTIBODY

SKU: EB05428





Telephone: (650) 697-3600

250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias Names Cst3|cystatin 3|gamma-trace|CST3|AD8|cystatin C (amyloid angiopathy and cerebral hemorrhage)|postgamma-globulin|neuroendocrine basic polypeptide|RP23-250M11.9|CysC|OTTMUSP00000016736

Accession

ID

NP_034106.2

Blocking

EBP05428 **Peptide**

Immunogen

Peptide with sequence GTHSLTKFSCKNA, from the C Terminus of the protein sequence according to

NP 034106.2.

Peptide

Sequence

GTHSLTKFSCKNA

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Species

Mouse

Reactive

Mouse **Species**

Mouse

13010 Gene ID

Product

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection

Antibody detection limit dilution 1:8000.

Limit

Western

Approx 18kDa band observed in Mouse Testis lysates (calculated MW of 15.5kDa according to NP_034106.2).

Blot Recommended concentration: 0.01-0.03µg/ml.

Application

Type

Pep-ELISA, WB

GALLERY IMAGES



Email: customerservice@vectorlabs.com

Telephone: <u>(650)</u> 697-3600

250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa

15kDa