


Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GOAT ANTI-DACHSHUND HOMOLOG 1 ANTIBODY**

**SKU:** EB08438







250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa



Telephone: (650) 697-3600

## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

**Alias** 

OTTHUMP00000040839|dachshund homolog 1 (Drosophila)|DACH1|RP11-512|14.1|DACH|FL|10138|dachshund

homolog 1 Names

**Accession** 

NP\_542937.1; NP\_542938.1; NP\_004383.2

**Blocking** 

ID

EBP08438 **Peptide** 

Peptide with sequence SPVENTPQNNECK, from the internal region of the protein sequence according to **Immunogen** 

NP\_542937.1; NP\_542938.1; NP\_004383.2.

**Product Comments** 

This antibody is expected to recognise all three reported isoforms(NP 542937.1; NP 542938.1; NP 004383.2).

**Peptide** 

Sequence

**SPVENTPQNNECK** 

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

**Predicted** 

Human, Mouse, Rat, Dog, Pig **Species** 

Reactive

Human **Species** 

Human

1602

Gene ID

Mouse 13134 **Gene ID** 

**Product** Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_medium.png

FLISA

Antibody detection limit dilution 1:16000. Detection

Limit

Approx 75 and 52kDa bands observed in Human Kidney lysates (calculated MW of 73.0kDa according to Western **Blot** NP\_542937.1 and of 51.9kDa according to NP\_004383.2). Recommended concentration: 0.1-0.3μg/ml.

**Application** 

Pep-ELISA, WB **Type** 





Telephone: (650) 697-3600

## **GALLERY IMAGES**

e erest

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa