


GOAT ANTI-DAGLA ANTIBODY

SKU: EB08790



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions

Synonym /

Alias KIAA0659|neural stem cell-derived dendrite regulator|diacylglycerol lipase

Names alpha|NSDDR|DAGLALPHA|DAGL(ALPHA)|C11orf11|diacylglycerol lipase, alpha|DAGLA

Accession

ID NP_006124.1

Blocking
Peptide

EBP08790

Immunogen Peptide with sequence C-PAKQDELVISAR, from the C Terminus of the protein sequence according to NP_006124.1.

Peptide
Sequence C-PAKQDELVISAR

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography
Method using the immunizing peptide.



Shipping
Instructions Refrigerated

Predicted Species	Human, Mouse, Rat
Reactive Species	Human
Human Gene ID	747
Mouse Gene ID	269060
Rat Gene ID	309207
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
IHC Results	Paraffin embedded Human Breast, Pancreas and Spleen. Recommended concentration: 5µg/ml.
ELISA Detection Limit	Antibody detection limit dilution 1:128000.
Western Blot	Approx 125kDa band observed in Human Liver lysates (calculated MW of 115kDa according to NP_006124.1). Recommended concentration: 0.3-1µg/ml. Some minor background is detected and is blocked by the immunizing peptide. Primary incubation was 1 hour.
Application Type	Pep-ELISA, WB, IHC

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES



250kDa
150kDa
100kDa
75kDa
50kDa
37kDa
25kDa
20kDa
15kDa

