





## **GOAT ANTI-DAPK2 ANTIBODY**

**SKU:** EB05275



## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 

Storage

Instructions

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias **Names**  death-associated kinase 2|OTTHUMP00000163874|DAP-kinase-related protein 1|DAP kinase

2|MGC119312|DRP1|DRP-1|death-associated protein kinase 2|DAPK2

**Accession** 

NP\_055141.2; NP\_001371929.1

**Blocking** 

ID

**Peptide** 

EBP05275

Immunogen

Peptide with sequence C-KALHPRRRSSTS, from the C Terminus of the protein sequence according to NP\_055141.2; NP\_001371929.1.

**Peptide** 

C-KALHPRRRSSTS Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method

using the immunizing peptide.

Shipping Instructions

Refrigerated





Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

**Predicted** 

Human, Mouse, Rat, Dog, Pig

**Species** Reactive **Species** 

Human, Mouse

Human

23604 Gene ID

**Product** Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_medium.png

IHC Results Paraffin embedded Human Breast and Thyroid. Recommended concentration: 2.5µg/ml.

**ELISA** 

**Detection** Antibody detection limit dilution 1:32000.

Limit

**Type** 

Western Approx 40-45kDa bands seen in mouse brain extracts. Recommended for use at 1-3µg/ml. Primary incubation

was for 1 hour. Blot

Application

Pep-ELISA, WB, IHC

## **GALLERY IMAGES**





Telephone: (650) 697-3600





