


GOAT ANTI-DAPK2 ANTIBODY

SKU: EB05275



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions

Synonym /

death-associated kinase 2|OTTHUMP00000163874|DAP-kinase-related protein 1|DAP kinase

Alias

2|MGC119312|DRP1|DRP-1|death-associated protein kinase 2|DAPK2

Names

Accession ID NP_055141.2; NP_001371929.1

Blocking Peptide EBP05275

Immunogen Peptide with sequence C-KALHPRRRSSTS, from the C Terminus of the protein sequence according to NP_055141.2; NP_001371929.1.

Peptide Sequence C-KALHPRRRSSTS

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species	Human, Mouse, Rat, Dog, Pig
Reactive Species	Human, Mouse
Human Gene ID	23604
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
IHC Results	Paraffin embedded Human Breast and Thyroid. Recommended concentration: 2.5 μ g/ml.
ELISA Detection Limit	Antibody detection limit dilution 1:32000.
Western Blot	Approx 40-45kDa bands seen in mouse brain extracts. Recommended for use at 1-3 μ g/ml. Primary incubation was for 1 hour.
Application Type	Pep-ELISA, WB, IHC

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

