

GOAT ANTI-DAPP1 ANTIBODY

SKU: EB05072

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage	Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions	
Synonym /	DAPP1 dual adaptor of phosphotyrosine and 3-phosphoinositides BAM32 DKFZp667E0716 HSPC066 B-cell
Alias	adapter molecule of 32 kDa b lymphocyte adapter protein Bam32 dual adapter for phosphotyrosine and 3-
Names	phosphotyrosine and 3-phosphoinositide hDAPP1
Accession ID	AAF14578.1
Blocking Peptide	EBP05072
Immunogen	Peptide with sequence SALCISPEEKTDHK, from the C Terminus of the protein sequence according to AAF14578.1.
Product Comments	This antibody was raised against the C-terminus of NP_055210.1. However, NCBI has changed the version to NP_055210.2 thus losing the C-terminal epitope.
Peptide Sequence	SALCISPEEKTDHK
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human
Reactive Species	Human
Human Gene ID	27071
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:4000.
Western Blot	Approx 30kDa band observed in Human Kidney lysates (calculated MW of 32.0kDa according to AAF14578.1). Recommended concentration: 0.5-1µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa