
Telephone: (650) 697-3600



 $\textbf{Email:} \ \underline{\textbf{customerservice@vectorlabs.com}}$

GOAT ANTI-DAPP1 / BAM32 ANTIBODY



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.









Unit Size 100 µg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias DAPP1|dual adaptor of phosphotyrosine and 3-phosphoinositides|BAM32|DKFZp667E0716

Names

Usage Purchase the +ve control! The transfected lysate used to QC this product is available for sale. Please email

Summary sales@everestbiotech.com to request datasheet, pricing and delivery information.

Accession

NP_055210.2

Blocking

EBP09697 **Peptide**

Immunogen

Peptide with sequence C-KLSQIRKQLNQGE, from the internal region (near C Terminus) of the protein sequence

according to NP_055210.2.

Peptide

C-KLSQIRKQLNQGE Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human, Dog, Cow

Species Reactive

Human

Species

Human

Gene ID

27071

Product Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite medium.png

ELISA

Detection Antibody detection limit dilution 1:8000.

Limit

In transfected HEK293 transiently expressing full-length Human DAPP1 (myc and DYKDDDDK tagged), a band Western of approx. 35kDa was observed. No bands were observed in mock-transfected HEK293 and the same band was Blot

observed using anti-DYKDDDDK tag antibody. Recommended concentration, 0.1- 0.3μg/ml.

Application

Pep-ELISA, WB-Trf **Type**

GALLERY IMAGES





Telephone: (650) 697-3600



