

GOAT ANTI-DAZL ANTIBODY

SKU: EB06857

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	spermatogenesis gene on the Y-like autosomal germline specific RNA binding protein deleted in azoospermia-like autosomal SPGYLA MGC26406 DAZLA DAZL1 DAZH HGNC:2685 deleted in azoospermia-like DAZL
Accession ID	NP_001342.2
Blocking Peptide	EBP06857
Immunogen	Peptide with sequence C-GNGPQKKSVD, from the internal region of the protein sequence according to NP_001342.2.
Peptide Sequence	C-GNGPQKKSVD
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog, Cow
Reactive Species	Rat
Human Gene ID	1618
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA	
Detection Limit	Antibody detection limit dilution 1:32000.
Western Blot	Approx 38kDa band observed in Rat Testis lysates (calculated MW of 31.4kDa according to NP_001102884.1). This molecular weight is routinely observed by other sources. Recommended concentration: 0.5-1µg/ml. Primary incubation was 1 hour. Preliminary testing was unsuccessful on Mouse Ovary for this particular batch.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa