

GOAT ANTI-DCUN1D1, BIOTINLYATED ANTIBODY

SKU: EB09917-B



SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	DCN1, defective in cullin neddylation 1, domain containing 1 (S. cerevisiae) DCUN1L1 RP42 RP42 homolog SCCRO SCRO squamous cell carcinoma-related oncogene Tes3 DCUN1D1
Accession ID	NP_065691.2
Blocking Peptide	EBP09917-B
Immunogen	Peptide with sequence C-RPQIAGTKSTT., from the C Terminus of the protein sequence according to NP_065691.2.
Peptide Sequence	C-RPQIAGTKSTT.
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Cow
Reactive Species	Human
Human Gene ID	54165
Mouse Gene ID	114893
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:16000.
Western Blot	Approx 28kDa band observed in HepG2 lysates (calculated MW of 30.1kDa according to NP_065691.2). Recommended concentration: 0.3-1µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

