
Telephone: (650) 697-3600





## **GOAT ANTI-DEAD-BOX PROTEIN 6 ANTIBODY**

**SKU:** EB07126







Telephone: (650) 697-3600

## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 µg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias Names DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 6 (RNA helicase, 54kD)|DEAD box-6|RCK|P54|HLR2|DDX6|DEAD

(Asp-Glu-Ala-Asp) box polypeptide 6|DEAD-box protien 6

**Accession** 

NP 004388.1

**Blocking** 

EBP07126 **Peptide** 

Peptide with sequence C-AEYHSEPVEDEKP, from the C Terminus of the protein sequence according to **Immunogen** 

NP 004388.1.

**Peptide** 

C-AEYHSEPVEDEKP Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

**Shipping** 

Refrigerated Instructions

**Predicted** 

Human, Mouse, Rat, Dog **Species** 

Reactive

Human **Species** 

Human

1656 Gene ID

**Product** 

 $https://prod-vector-labs-pimcore-assets.s 3. us-east-1. a mazon aws.com/assets/products/image/elite\_medium.png$ Grade

IHC Results Paraffin embedded Human Brain (Cortex) and Thymus. Recommended concentration: 5µg/ml.

**ELISA** 

**Detection** Antibody detection limit dilution 1:128000.

Limit

Approx 50kDa band observed in lysates of cell lines Daudi, Jurkat and HepG2 (calculated MW of 53.2kDa Western **Blot** according to NP\_004388.1). Recommended concentration: 0.3-1µg/ml. Primary incubation was 1 hour.

**Application** 

Pep-ELISA, WB, IHC **Type** 

## **GALLERY IMAGES**



Telephone: (650) 697-3600



