



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GOAT ANTI-DGCR8 ANTIBODY**

**SKU:** EB07519





Telephone: (650) 697-3600

250kDa 150kDa

100kDa 75kDa

50kDa

37kDa

25kDa

20kDa

15kDa



Telephone: (650) 697-3600

## **SPECIFICATIONS**

**Unit Size** 

100 µg

Synonym / **Alias** 

microprocessor complex subunit DGCR8|OTTHUMP00000197674|OTTHUMP00000197673|DiGeorge syndrome critical region 8|pasha|LP4941|Gy1|DGCRK6|C22orf12|DiGeorge syndrome critical region gene 8|DGCR8

**Names** Accession

NP\_073557.3; NP\_001177255.1

**Blocking** 

EBP07519

**Peptide** 

Peptide with sequence C-PDFVKQTSEEKPKD, from the internal region of the protein sequence according to

NP 073557.3; NP 001177255.1.

**Product Comments** 

**Immunogen** 

This antibody is expected to recognize both reported isoforms (NP\_073557.3; NP\_001177255.1).

**Peptide** Sequence

C-PDFVKQTSEEKPKD

**Shipping** 

Refrigerated Instructions

Mouse

**Predicted** 

**Species** 

Human, Mouse, Rat, Dog, Pig, Cow

Reactive

**Species** Human

54487 **Gene ID** 

Mouse 94223 Gene ID

**Rat Gene ID** 287954

**Product** 

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_medium.png

**IHC Results** 

Frozen sections of Porcin Kidney shows vesicular staining of the cytoplasm in PCT epithelial cells.

Recommended concentration, 20µg/ml.

**ELISA** 

Detection

Antibody detection limit dilution 1:64000.

Limit

Western Blot

Approx 90kDa band observed in nuclear lysates of cell line NIH3T3 (calculated MW of 86.3kDa according to

Mouse NP\_201581.2). Recommended concentration: 0.1-0.3µg/ml.

**Application** 

**Type** 

Pep-ELISA, WB

## **GALLERY IMAGES**



Telephone: (650) 697-3600



250kDa 150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa