

Telephone: (650) 697-3600



GOAT ANTI-DIPEPTIDYLPEPTIDASE 10 ANTIBODY

SKU: EB06750







250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

dipeptidyl peptidase like protein 2|dipeptidyl peptidase 10|DPPY|DPL2|dipeptidyl-peptidase 10|dipeptidyl

Alias peptidase-like protein 2|dipeptidyl peptidase X|dipeptidyl peptidase IV-related protein

3|DPRP3|HGNC:20823|dipeptidylpeptidase 10|DPP10 Names

Accession

ID

Blocking

EBP06750 **Peptide**

Peptide with sequence C-DEGHNVSEKSKYHL, from the internal region of the protein sequence according to **Immunogen**

NP_065919.2; NP_001004360.2.

NP_065919.2; NP_001004360.2

Product Comments

This antibody is expected to recognise both reported isoforms NP 065919.2 and NP 001004360.2.

Peptide

Sequence

C-DEGHNVSEKSKYHL

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human, Dog, Cow

Species Reactive

Human **Species**

Human

57628

Gene ID

Product

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite medium.png

IHC Results Paraffin embedded Human Brain (Cortex and Cerebellum). Recommended concentration: 3.75µg/ml.

ELISA

Detection Antibody detection limit dilution 1:32000.

Limit

Western Approx 90kDa band observed in Human Bone Marrow lysates (calculated MW of 90.0kDa according to NP_065919.2 and of 90.1 according to NP_001004360.1). Recommended concentration: 0.1-0.3µg/ml. Blot

Application

Pep-ELISA, WB, IHC

Type





GALLERY IMAGES

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa



