

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-DKK3 / REIC ANTIBODY

SKU: EB05361



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias

regulated in glioma|RIG|dickkopf homolog 3|dickkopf (Xenopus laevis) homolog 3|Dickkopf gene 3|dickkopf

3|RIG-like 7-1|RIG-like 5-6|DKK-3|dickkopf homolog 3 (Xenopus laevis)|REIC|DKK3

Names **Accession**

NP_037385.2; NP_056965.3; NP_001018067.1

Blocking

Peptide

EBP05361

Peptide with sequence C-AAAALLGGEEI, from the C Terminus of the protein sequence according to **Immunogen**

NP_037385.2; NP_056965.3; NP_001018067.1.

Product Comments

NP 037385.2; NP 056965.3 and NP 001018067.1 are varients of the same protein.

Peptide

Sequence

C-AAAALLGGEEI

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Species

Reactive

Human **Species**

Human

Gene ID

Product https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite medium.png

27122

Human

Grade **ELISA**

Detection

Antibody detection limit dilution 1:16000.

Limit

Western Blot

Approx 38kDa band observed in Human Brain (Cerebellum) lysates (calculated MW of38.4xkDa according to

NP_037385.2). Recommended concentration: 1-3µg/ml. Primary incubation 1 hour at room temperature.

Application

Type

Pep-ELISA, WB

GALLERY IMAGES



Telephone: (650) 697-3600



250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

