


GOAT ANTI-DNAJC5 (AA177-191) ANTIBODY

SKU: EB11846



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions

Synonym /

Alias Dnajc5|dnaj homolog subfamily C member 5|Dnaj (Hsp40) homolog, subfamily C, member 5|cysteine string protein|Csp|AU018536|2610314I24Rik
Names

Accession ID NP_058055.1

Blocking Peptide EBP11846

Immunogen Peptide with sequence C-SATETTQLTADSHPS, from the C Terminus of the protein sequence according to NP_058055.1.

Peptide Sequence C-SATETTQLTADSHPS

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.


Shipping Instructions Refrigerated

Predicted Species	Human, Mouse, Rat, Dog, Cow
Reactive Species	Human
Human Gene ID	80331
Mouse Gene ID	13002
Rat Gene ID	79130
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
IHC Results	Paraffin embedded Human Skeletal Muscle. Recommended concentration: 5µg/ml.
ELISA Detection Limit	Antibody detection limit dilution 1:64000.
Western Blot	Approx 20kDa band observed in Human Brain (Cerebellum) lysates (calculated MW of 22.1kDa according to NP_058055.1). Recommended concentration: 0.5-1.5µg/ml. Preliminary testing was unsuccessful on Mouse and Rat Brain for this particular batch.
Application Type	Pep-ELISA, WB, IHC

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES



250kDa
150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa